

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT: Schmidt, Eduard Daniel Leendert
De Vries, Sape Cornelis
Hecht, Valerie France Gabrielle

(ii) TITLE OF INVENTION: Apomixis Conferred By Expression of SERK
Interacting Proteins

(iii) NUMBER OF SEQUENCES: 18

(iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: Syngenta Patent Dept.
(B) STREET: 3054 Cornwallis Road
(C) CITY: RTP
(D) STATE: NC
(E) COUNTRY: USA
(F) ZIP: 27709

(v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Floppy disk
(B) COMPUTER: IBM PC compatible
(C) OPERATING SYSTEM: PC-DOS/MS-DOS
(D) SOFTWARE: PatentIn Release #1.0, Version #1.25

(vi) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER: PCT/EP99/07972
(B) FILING DATE: 20-OCT-1999
(C) CLASSIFICATION:

(viii) ATTORNEY/AGENT INFORMATION:

(A) NAME: Meigs, J. Timothy
(B) REGISTRATION NUMBER: 38,241
(C) REFERENCE/DOCKET NUMBER: S-30683A

(ix) TELECOMMUNICATION INFORMATION:

(A) TELEPHONE: 919-541-8587

(2) INFORMATION FOR SEQ ID NO: 1:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 551 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: double
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

(B) CLONE: 3A35

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

ACGTGTCCGT GGAGGCGGGT CGGGTCAGTC GGGTCAGATA CCAAGGTGCC AAGTGAAGG	60
TTGTGGGATG GATCTAACCA ATGCAAAGG TTATTACTCG AGACACCGAG TTTGTGGAGT	120
GCACTCTAAA ACACCTAAAG TCACTGTGGC TGGTATCGAA CAGAGGTTTT GTCAACAGTG	180
CAGCAGGTTT CATCAGCTTC CGGAATTTGA CCTAGAGAAA AGGAGTTGCC GCAGGAGACT	240
CGCTGGTCAT AATGAGCGAC GAAGGAAGCC ACAGCCTGCG TCTCTCTCTG TGTTAGCTTC	300
TCGTTACGGG AGGATCGCAC CTTGCTTTA CGAAAATGGT GATGCTGGAA TGAATGGAAG	360
CITTCTTGGG AACCAAGAGA TAGGATGGCC AAGTTCAAGA ACATTGGATA CAAGAGTGAT	420
GAGGCGGCCA GTGTATCAC CGTCATGGCA GATCAATCCA ATGAATGTAT TTAGTCAAGG	480
TTCAGTTGGT GGAGGAAGGA CAAGCTTCTC ATCTCCAGAG ATTATGGACA CTAAACTAGA	540
GAGCTACAAG G	551

(2) INFORMATION FOR SEQ ID NO: 2:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 375 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

(B) CLONE: 3A35

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

Met Glu Met Gly Ser Asn Ser Gly Pro Gly His Gly Pro Gly Gln Ala
 1 5 10 15
 Glu Ser Gly Gly Ser Ser Thr Glu Ser Ser Ser Phe Ser Gly Gly Leu
 20 25 30
 Met Phe Gly Gln Lys Ile Tyr Phe Glu Asp Gly Gly Gly Gly Ser Gly
 35 40 45
 Ser Ser Ser Ser Gly Gly Arg Ser Asn Arg Arg Val Arg Gly Gly Gly
 50 55 60
 Ser Gly Gln Ser Gly Gln Ile Pro Arg Cys Gln Val Glu Gly Cys Gly
 65 70 75 80
 Met Asp Leu Thr Asn Ala Lys Gly Tyr Tyr Ser Arg His Arg Val Cys
 85 90 95
 Gly Val His Ser Lys Thr Pro Lys Val Thr Val Ala Gly Ile Glu Gln
 100 105 110
 Arg Phe Cys Gln Gln Cys Ser Arg Phe His Gln Leu Pro Glu Phe Asp
 115 120 125
 Leu Glu Lys Arg Ser Cys Arg Arg Arg Leu Ala Gly His Asn Glu Arg
 130 135 140
 Arg Arg Lys Pro Gln Pro Ala Ser Leu Ser Val Leu Ala Ser Arg Tyr
 145 150 155 160
 Gly Arg Ile Ala Pro Ser Leu Tyr Glu Asn Gly Asp Ala Gly Met Asn
 165 170 175
 Gly Ser Phe Leu Gly Asn Gln Glu Ile Gly Trp Pro Ser Ser Arg Thr
 180 185 190
 Leu Asp Thr Arg Val Met Arg Arg Pro Val Ser Ser Pro Ser Trp Gln
 195 200 205
 Ile Asn Pro Met Asn Val Phe Ser Gln Gly Ser Val Gly Gly Gly Arg
 210 215 220
 Thr Ser Phe Ser Ser Pro Glu Ile Met Asp Thr Lys Leu Glu Ser Tyr

```

225                      230                      235                      240
Lys Gly Ile Gly Asp Ser Asn Cys Ala Leu Ser Leu Leu Ser Asn Pro
                      245                      250                      255
His Gln Pro His Asp Asn Asn Asn Asn Asn Asn Asn Asn Asn Asn
                      260                      265                      270
Asn Asn Asn Thr Trp Arg Ala Ser Ser Gly Phe Gly Pro Met Thr Val
                      275                      280                      285
Thr Met Ala Gln Pro Pro Pro Ala Pro Ser Gln His Gln Tyr Leu Asn
                      290                      295                      300
Pro Pro Trp Val Phe Lys Asp Asn Asp Asn Asp Met Ser Pro Val Leu
305                      310                      315                      320
Asn Leu Gly Arg Tyr Thr Glu Pro Asp Asn Cys Gln Ile Ser Ser Gly
                      325                      330                      335
Thr Ala Met Gly Glu Phe Glu Leu Ser Asp His His His Gln Ser Arg
                      340                      345                      350
Arg Gln Tyr Met Glu Asp Glu Asn Thr Arg Ala Tyr Asp Ser Ser Ser
                      355                      360                      365
His His Thr Asn Trp Ser Leu
                      370                      375

```

(2) INFORMATION FOR SEQ ID NO: 3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 859 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

- (B) CLONE: 3B39

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

TCAACATTGC TTCCTAACCA GAAATCCACC ATCATCTTCC CACGAATACA ACTTAAAGCT 60
TTACCAGAAA ATGGAGGGTC AGAGAACACA ACGCCGGGGT TACTTGAAAG ACAAGGCTAC 120
AGTCTCCAAC CTTGTTGAAG AAGAAATGGA GAATGGCATG GATGGAGAAG AGGAGGATGG 180
AGGAGACGAA GACAAAAGGA AGAAGGTGAT GGAAAGAGTT AGAGGTCCTA GCACTGACCG 240
TGTTCCATCG CGACTGTGCC AGGTCGATAG GTGCACTGTT AATTTGACTG AGGCCAAGCA 300
GTATTACCGC AGACACAGAG TATGTGAAGT ACATGCCAAG GCATCTGCTG CGACTGTGTC 360
AGGGGTCAGG CAACGCTTTT GTCAACAATG CAGCAGGTTT CATGAGCTAC CAGAGTTTGA 420
TGAAGCTAAA AGAAGCTGCA GGAGGCGCTT AGCTGGACAC AATGAGAGGA GGAGGAAGAT 480
CTCTGGTGAC AGTTTTGGAG AAGGGTCAGG CCGGAGAGGG TTTAGCGGTC AACTGATCCA 540
GACTCAAGAA AGAAACAGGG TAGACAGGAA ACTTCCTATG ACCAACTCAT CATTTAAGGG 600
ACCACAGATC AGATAAACCC TCCCGCTCTC TCTCTTCTGT CATCTACATA TGCTCTATCT 660
ACACTCTTAT TAGACAAATA ATGGCATCTA ACAATGTCAA GAAAAGTTGG TCATGGTATT 720
AAATCCTAGA GGGAAATATA AGTATAAACC TTTAGTCCCC TTTATGCTGT CCTGTAATGA 780
ATATCTATCC GGAAATGTAT TCGCATAGTC TTGCGTCTAA TAATGTTTAT TAAAAAAAAA 840
AAAAAAAAAA AAAAAAAAAA 859

(2) INFORMATION FOR SEQ ID NO: 4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 181 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

(B) CLONE: 3B39

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

Met Glu Gly Gln Arg Thr Gln Arg Arg Gly Tyr Leu Lys Asp Lys Ala
 1 5 10 15
 Thr Val Ser Asn Leu Val Glu Glu Glu Met Glu Asn Gly Met Asp Gly
 20 25 30
 Glu Glu Glu Asp Gly Gly Asp Glu Asp Lys Arg Lys Lys Val Met Glu
 35 40 45
 Arg Val Arg Gly Pro Ser Thr Asp Arg Val Pro Ser Arg Leu Cys Gln
 50 55 60
 Val Asp Arg Cys Thr Val Asn Leu Thr Glu Ala Lys Gln Tyr Tyr Arg
 65 70 75 80
 Arg His Arg Val Cys Glu Val His Ala Lys Ala Ser Ala Ala Thr Val
 85 90 95
 Ala Gly Val Arg Gln Arg Phe Cys Gln Gln Cys Ser Arg Phe His Glu
 100 105 110
 Leu Pro Glu Phe Asp Glu Ala Lys Arg Ser Cys Arg Arg Arg Leu Ala
 115 120 125
 Gly His Asn Glu Arg Arg Arg Lys Ile Ser Gly Asp Ser Phe Gly Glu
 130 135 140
 Gly Ser Gly Arg Arg Gly Phe Ser Gly Gln Leu Ile Gln Thr Gln Glu
 145 150 155 160
 Arg Asn Arg Val Asp Arg Lys Leu Pro Met Thr Asn Ser Ser Phe Lys
 165 170 175
 Gly Pro Gln Ile Arg
 180

(2) INFORMATION FOR SEQ ID NO: 5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 479 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

(B) CLONE: 4B19

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

AGAAGCAGAA AGGTAAAGCT ACAAGTAGTA GTGGAGTTTG TCAGGTCGAG AGTTGTACCG	60
CGGATATGAG CAAAGCCAAA CAGTACCACA AACGACACAA AGTCTGCCAG TTTCATGCCA	120
AAGCTCCTCA TGTTCCGATC TCTGGTCTTC ACCAACGTTT CTGCCAACAA TGCAGCAGGT	180
TTACGCGCT CAGTGAGTTT GATGAAGCCA AGCGGAGTTG CAGGAGACGC TTAGCTGGAC	240
ACAACGAGAG AAGGCGGAAA AGCACAACTG ACTAAAGACG GTGAAACGTG TGAGATCCCG	300
GTTTGAAGGT TAATGAAACA GGCTTTGCTT ACTCTCTTCT GTCAGTCTCT TTTAGCTCCT	360
TGTAATCCTC TGIGTCTCTG TCTGTTTCTC CATATTACCT GTAATCAAAG CTATCTGCTA	420
AACCTACGAC ATGGTTAAAT AAATGCATTG AGACTTAAAA AAAAAAAAAA AAAAAAAAAA	479

(2) INFORMATION FOR SEQ ID NO: 6:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 131 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

(B) CLONE: 4B19

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

Met Ser Met Arg Arg Ser Lys Ala Glu Gly Lys Arg Ser Leu Arg Glu
 1 5 10 15
 Leu Ser Glu Glu Glu Glu Glu Glu Glu Thr Glu Asp Glu Asp Thr
 20 25 30
 Phe Glu Glu Glu Glu Ala Leu Glu Lys Lys Gln Lys Gly Lys Ala Thr
 35 40 45
 Ser Ser Ser Gly Val Cys Gln Val Glu Ser Cys Thr Ala Asp Met Ser
 50 55 60
 Lys Ala Lys Gln Tyr His Lys Arg His Lys Val Cys Gln Phe His Ala
 65 70 75 80
 Lys Ala Pro His Val Arg Ile Ser Gly Leu His Gln Arg Phe Cys Gln
 85 90 95
 Gln Cys Ser Arg Phe His Ala Leu Ser Glu Phe Asp Glu Ala Lys Arg
 100 105 110
 Ser Cys Arg Arg Arg Leu Ala Gly His Asn Glu Arg Arg Arg Lys Ser
 115 120 125
 Thr Thr Asp
 130

(2) INFORMATION FOR SEQ ID NO: 7:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2682 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

(B) CLONE: 3A52

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

GCCATTCAAG GAGACACTAA TGGTGCTCTT ACITTTGAATC TTAATGGTGA AAGTGATGGC	60
CTTTTTCTTG CCAAGAAGAC CAAATCCGGA GCGTTTGTG AGGTCGAAAA CTGTGAAGCT	120
GATCTTAGTA AAGTTAAGGA TTATCATAGA CGCCATAAGG TCTGTGAGAT GCATTCCAAG	180
GCTACTAGTG CCACTGTGCG AGGTATCTTG CAGCGCTTTT GTCAGCAATG TAGTAGGTTT	240
CATCTTCTGC CAGGTTTTCG TGACGGAAAG AGAAGTTGTC GTAGACGTTT GGCTGGCCAT	300
AATAAACGTC CGAGGAAAC AAATCCCGAA CCTGGCGCTA ACGGGAATCC TAGTGATGAT	360
CACTCAAGCA ACTATCTCTT GATTACTCTC TTGAAGATAC TCTCCAATAT GCATAACCAT	420
ACCGGTGATC AAGATTTGAT GTCTCATCTT CTGAAGAGCC TCGTAAGCCA TGCTGGCGAA	480
CAGTTAGGGA AAAACTTAGT TGAACITCTT CTACAAGGAG AGATCTCAAG GTTCCTTAAA	540
ATATTGGAAA ACTCGGCTTT GCTTGGGATT GAGCAAGCTC CTCAAGAGGA GTTAAAGCAA	600
TTTTCGGCTC GGCAAGATGG GACAGCTACC GAGAACAGAT CAGAAAAACA AGTCAAAATG	660
AATGATTTTG AITTTGAATGA TATCTATATA GACTCAGATG ACACAGACGT CGAAAGATCT	720
CCTCCTCCAA CGAATCCAGC GACCAGTTCT CTTGATTATC CTTTATGGAT ACATCAGTCT	780
AGTCCGCCTC AGACAAGTAG GAATTCAGAT TCAGCATCTG ACCAGTCACC CTCAAGTTCT	840
AGTGAAGATG CTCAGATGCG CACAGGCCGG ATTGTGTTCA AACTATTTGG GAAAGAGCCA	900
AATGAATTTT CTATTGTTCT ACGAGGACAG ATTCTTGAAT GGTATATGCA TAGTCCAAT	960
GACATGGAGA GCTACATAAG ACCTGGCTGT ATCGTATTGA CCATCTATCT TCGTCAAGCT	1020
GAAACTGCTT GGGAAGAACT TTCAGACGAT CTGGGTTTTA GCITAGGGAA GCTTCTAGAT	1080
CTCTCGATG ATCCCTTTTG GACAACTGGA TGGATTTATG TAGGGTGCAG AACCAACTTG	1140
CATTTGTATA TAACGGTCAG GTTGTCGTTG ACACTTCATT GTCTCTAAAA AGTCGTGATT	1200
ATAGTCACAT CATTAGCGTT AAACCGCTTG CTATAGCTGC AACGGAGAAG GCTCAATTTA	1260

CAGTTAAAGG CATGAATCTC CGTCGGCGTG GCACAAGGTT ACTTTGTTCT GTTGAAGGAA 1320
 AATACTTGAT TCAGGAAACA ACACACGATT CGACGACCAG GGAGGATGAC GATTTCAAGG 1380
 ACAACAGTGA GATTGTTGAG TGTGTAAACT TCTCTTGIGA TATGCCTATA TTGAGTGGTC 1440
 GAGGATTCAT GGAGATTGAA GACCAAGGAC TCAGTAGCAG CTTCTTCCCT TTCTTAGTGG 1500
 TTGAAGATGA CGATGTTTGT TCTGAAATCC GTATACTTGA AACCACATTA GAGTTCCTG 1560
 GAACTGATTC TGCTAAGCAA GCTATGGATT TCATACATGA AATCGGTTGG CTTCTTCACA 1620
 GAAGTAAACT TGGGGAATCA GACCCAAATC CAGGCGTTTT CCCATTAAATA CGCTTCCAGT 1680
 GGCTAATCGA GTTCTCAATG GATCGAGAGT GGTGCGCTGT GATCAGAAAG CTATTAAACA 1740
 TGTTCCTTGA TGGAGCTGTT GGGAATTTT CTTCTCCTC TAATGCCACA CTGTCAGAAC 1800
 TGTGCCCTCT TCACAGAGCC GTGAGGAAAA ACTCTAAGCC TATGGTTGAA ATGCTCTTGA 1860
 GATATAATTCC CAAGCAACAG AGAAACAGCT TGTTTAGACC CGATGCTGCT GGTCCAGCCG 1920
 GCTTAACACC TCTTCATATT GCAGCTGGTA AAGACGGTTC AGAAGATGIG TTGGATGCGC 1980
 TAACAGAAGA TCCTGCAATG GTGGGGATTG AAGCGTGGAA GACATGTCGA GACAGCACAG 2040
 GCTTCACACC AGAAGACTAC GCACGCTTAC GCGGTCACCT CTCATACATC CACTTGATTC 2100
 AACGCAAGAT CAATAAAAAG TCAACAACTG AAGATCATGT TGTGGTCAAC ATCCCAGTTT 2160
 CTTTCTCAGA CAGAGAGCAG AAAGAACCAA AATCAGGTCC GATGGCTTCA GCCTTGAGAG 2220
 TCACACAGAT TCCATGCAAG CTCTGTGACC ATAACTGGT GTATGGGACA ACACGCAGGT 2280
 CTGTAGCGTA CAGACCAGCT ATGTTGTCAA TGGTGGCGAT TGCTGCGGTT TGGTCTGTG 2340
 TGGCACTTCT GTTTAAGAGT TGCCCGGAAG TGCTCTATGT GTTCAACCG TTCAGGTGGG 2400
 AGTTAATTGA CTATGGAACA AGCTGAGTGT AAGTCTACTT TGAAAGATCT TCTAAGATAT 2460
 ATATATGAAT GTTACTTATA TAAAACCATA GAGGTGTGAT TTCTATATGT AACTATATGA 2520
 GTATAAGATA TAGAGACATG TTGGAGAAGA AGATTGTTGT TATTATGTT GTTGTGTGTG 2580
 TTGTGTAAAA GCCTCTCCTA TCTCTCTCGA ACCTAAGGAT TCTCTCTCTG ATTAGTATAT 2640
 TTTTGTGTTG ACAAAAAAAAAA AAAAAAAAAA AAAAAAAAAA AA 2682

(2) INFORMATION FOR SEQ ID NO: 8:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 848 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (iii) HYPOTHETICAL: NO
- (iii) ANTI-SENSE: NO
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Arabidopsis thaliana*
- (vii) IMMEDIATE SOURCE:
 - (B) CLONE: 3A52

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

```

Met Glu Ala Arg Ile Asp Glu Gly Gly Glu Ala Gln Gln Phe Tyr Gly
 1             5             10             15

Ser Val Gly Asn Ser Ser Asn Ser Ser Ser Ser Cys Ser Asp Glu Gly
          20             25             30

Asn Asp Lys Lys Arg Arg Ala Val Ala Ile Gln Gly Asp Thr Asn Gly
          35             40             45

Ala Leu Thr Leu Asn Leu Asn Gly Glu Ser Asp Gly Leu Phe Pro Ala
          50             55             60

Lys Lys Thr Lys Ser Gly Ala Val Cys Gln Val Glu Asn Cys Glu Ala
        65             70             75             80

Asp Leu Ser Lys Val Lys Asp Tyr His Arg Arg His Lys Val Cys Glu
          85             90             95

Met His Ser Lys Ala Thr Ser Ala Thr Val Gly Gly Ile Leu Gln Arg
          100            105            110

Phe Cys Gln Gln Cys Ser Arg Phe His Leu Leu Pro Gly Phe Asp Asp
          115            120            125

Gly Lys Arg Ser Cys Arg Arg Arg Leu Ala Gly His Asn Lys Arg Pro
          130            135            140

```

Arg Lys Thr Asn Pro Glu Pro Gly Ala Asn Gly Asn Pro Ser Asp Asp
 145 150 155 160
 His Ser Ser Asn Tyr Leu Leu Ile Thr Leu Leu Lys Ile Leu Ser Asn
 165 170 175
 Met His Asn His Thr Gly Asp Gln Asp Leu Met Ser His Leu Leu Lys
 180 185 190
 Ser Leu Val Ser His Ala Gly Glu Gln Leu Gly Lys Asn Leu Val Glu
 195 200 205
 Leu Leu Leu Gln Gly Arg Arg Ser Gln Gly Ser Leu Asn Ile Gly Asn
 210 215 220
 Ser Ala Leu Leu Gly Ile Glu Gln Ala Pro Gln Glu Glu Leu Lys Gln
 225 230 235 240
 Phe Ser Ala Arg Gln Asp Gly Thr Ala Thr Glu Asn Arg Ser Glu Lys
 245 250 255
 Gln Val Lys Met Asn Asp Phe Asp Leu Asn Asp Ile Tyr Ile Asp Ser
 260 265 270
 Asp Asp Thr Asp Val Glu Arg Ser Pro Pro Pro Thr Asn Pro Ala Thr
 275 280 285
 Ser Ser Leu Asp Tyr Pro Ser Trp Ile His Gln Ser Ser Pro Pro Gln
 290 295 300
 Thr Ser Arg Asn Ser Asp Ser Ala Ser Asp Gln Ser Pro Ser Ser Ser
 305 310 315 320
 Ser Glu Asp Ala Gln Met Arg Thr Gly Arg Ile Val Phe Lys Leu Phe
 325 330 335
 Gly Lys Glu Pro Asn Glu Phe Pro Ile Val Leu Arg Gly Gln Ile Leu
 340 345 350
 Asp Trp Leu Ser His Ser Pro Thr Asp Met Glu Ser Tyr Ile Arg Pro
 355 360 365
 Gly Cys Ile Val Leu Thr Ile Tyr Leu Arg Gln Ala Glu Thr Ala Trp
 370 375 380
 Glu Glu Leu Ser Asp Asp Leu Gly Phe Ser Leu Gly Lys Leu Leu Asp
 385 390 395 400

Leu Ser Asp Asp Pro Leu Trp Thr Thr Gly Trp Ile Tyr Val Arg Val
 405 410 415

Gln Asn Gln Leu Ala Phe Val Tyr Asn Gly Gln Val Val Val Asp Thr
 420 425 430

Ser Leu Ser Leu Lys Ser Arg Asp Tyr Ser His Ile Ile Ser Val Lys
 435 440 445

Pro Leu Ala Ile Ala Ala Thr Glu Lys Ala Gln Phe Thr Val Lys Gly
 450 455 460

Met Asn Leu Arg Arg Arg Gly Thr Arg Leu Leu Cys Ser Val Glu Gly
 465 470 475 480

Lys Tyr Leu Ile Gln Glu Thr Thr His Asp Ser Thr Thr Arg Glu Asp
 485 490 495

Asp Asp Phe Lys Asp Asn Ser Glu Ile Val Glu Cys Val Asn Phe Ser
 500 505 510

Cys Asp Met Pro Ile Leu Ser Gly Arg Gly Phe Met Glu Ile Glu Asp
 515 520 525

Gln Gly Leu Ser Ser Ser Phe Phe Pro Phe Leu Val Val Glu Asp Asp
 530 535 540

Asp Val Cys Ser Glu Ile Arg Ile Leu Glu Thr Thr Leu Glu Phe Thr
 545 550 555 560

Gly Thr Asp Ser Ala Lys Gln Ala Met Asp Phe Ile His Glu Ile Gly
 565 570 575

Trp Leu Leu His Arg Ser Lys Leu Gly Glu Ser Asp Pro Asn Pro Gly
 580 585 590

Val Phe Pro Leu Ile Arg Phe Gln Trp Leu Ile Glu Phe Ser Met Asp
 595 600 605

Arg Glu Trp Cys Ala Val Ile Arg Lys Leu Leu Asn Met Phe Phe Asp
 610 615 620

Gly Ala Val Gly Glu Phe Ser Ser Ser Ser Asn Ala Thr Leu Ser Glu
 625 630 635 640

Leu Cys Leu Leu His Arg Ala Val Arg Lys Asn Ser Lys Pro Met Val
 645 650 655

Glu Met Leu Leu Arg Tyr Ile Pro Lys Gln Gln Arg Asn Ser Leu Phe

660	665	670
Arg Pro Asp Ala Ala Gly Pro Ala Gly Leu Thr Pro Leu His Ile Ala		
675	680	685
Ala Gly Lys Asp Gly Ser Glu Asp Val Leu Asp Ala Leu Thr Glu Asp		
690	695	700
Pro Ala Met Val Gly Ile Glu Ala Trp Lys Thr Cys Arg Asp Ser Thr		
705	710	715
Gly Phe Thr Pro Glu Asp Tyr Ala Arg Leu Arg Gly His Phe Ser Tyr		
725	730	735
Ile His Leu Ile Gln Arg Lys Ile Asn Lys Lys Ser Thr Thr Glu Asp		
740	745	750
His Val Val Val Asn Ile Pro Val Ser Phe Ser Asp Arg Glu Gln Lys		
755	760	765
Glu Pro Lys Ser Gly Pro Met Ala Ser Ala Leu Glu Ile Thr Gln Ile		
770	775	780
Pro Cys Lys Leu Cys Asp His Lys Leu Val Tyr Gly Thr Thr Arg Arg		
785	790	795
Ser Val Ala Tyr Arg Pro Ala Met Leu Ser Met Val Ala Ile Ala Ala		
805	810	815
Val Cys Val Cys Val Ala Leu Leu Phe Lys Ser Cys Pro Glu Val Leu		
820	825	830
Tyr Val Phe Gln Pro Phe Arg Trp Glu Leu Leu Asp Tyr Gly Thr Ser		
835	840	845

(2) INFORMATION FOR SEQ ID NO: 9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 576 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

(B) CLONE: 4B11

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

CAGCGGAAGA GCTCACCGTT GAAGAGAGGA ATCTCCTCTC TGTTGCTTAC AAAAACGIGA	60
TCGGATCTCT ACGCGCCGCC TGGAGGATCG TGCTTCGAT TGAGCAGAAG GAAGAGAGTA	120
GGAAGAACGA CGAGCACTG TCGCTTGTC AGGATTACAG ATCTAAAGTT GAGTCTGAGC	180
TTTCTTCTGT TTGCTCTGGA ATCCTTAAGC TCCTTGACTC GCATCTGATC CCATCTGCTG	240
GAGCGAGTGA GTCTAAGGTC TTTTACTTGA AGATGAAAGG TGATTATCAT CCGTACATGG	300
CTGAGITTTAA GTCTGGTGAT GAGAGGAAAA CTGCTGCTGA AGATAACCATG CTCGCTTACA	360
AAGCAGCTCA GGATATCGCA GCTGCGGATA TGGCACCTAC TCATCCGATA AGGCTTGGTC	420
TGGCCCTGAA TTTCTCAGTG TTCTACTATG AGATTCTCAA TTCTTCAGAC AAAGCTTGTA	480
ACATGGCCAA ACAGGCTTTT GAGGAAGCCA TAGCTGAGCT TGACACTCTG GGAGAAGAAT	540
CCTACAAAGA CAGCACTCTC ATAATGCAGT TGCTGA	576

(2) INFORMATION FOR SEQ ID NO: 10:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 248 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

(B) CLONE: 4B11

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

Met	Ala	Ala	Thr	Leu	Gly	Arg	Asp	Gln	Tyr	Val	Tyr	Met	Ala	Lys	Leu
1				5					10					15	
Ala	Glu	Gln	Ala	Glu	Arg	Tyr	Glu	Glu	Met	Val	Gln	Phe	Met	Glu	Gln
			20					25					30		
Leu	Val	Thr	Gly	Ala	Thr	Pro	Ala	Glu	Glu	Leu	Thr	Val	Glu	Glu	Arg
			35				40					45			
Asn	Leu	Leu	Ser	Val	Ala	Tyr	Lys	Asn	Val	Ile	Gly	Ser	Leu	Arg	Ala
	50					55					60				
Ala	Trp	Arg	Ile	Val	Ser	Ser	Ile	Glu	Gln	Lys	Glu	Glu	Ser	Arg	Lys
65					70					75					80
Asn	Asp	Glu	His	Val	Ser	Leu	Val	Lys	Asp	Tyr	Arg	Ser	Lys	Val	Glu
				85					90					95	
Ser	Glu	Leu	Ser	Ser	Val	Cys	Ser	Gly	Ile	Leu	Lys	Leu	Leu	Asp	Ser
			100					105					110		
His	Leu	Ile	Pro	Ser	Ala	Gly	Ala	Ser	Glu	Ser	Lys	Val	Phe	Tyr	Leu
		115					120					125			
Lys	Met	Lys	Gly	Asp	Tyr	His	Arg	Tyr	Met	Ala	Glu	Phe	Lys	Ser	Gly
	130					135					140				
Asp	Glu	Arg	Lys	Thr	Ala	Ala	Glu	Asp	Thr	Met	Leu	Ala	Tyr	Lys	Ala
145					150					155					160
Ala	Gln	Asp	Ile	Ala	Ala	Ala	Asp	Met	Ala	Pro	Thr	His	Pro	Ile	Arg
				165					170					175	
Leu	Gly	Leu	Ala	Leu	Asn	Phe	Ser	Val	Phe	Tyr	Tyr	Glu	Ile	Leu	Asn
			180					185					190		
Ser	Ser	Asp	Lys	Ala	Cys	Asn	Met	Ala	Lys	Gln	Ala	Phe	Glu	Glu	Ala
		195					200					205			
Ile	Ala	Glu	Leu	Asp	Thr	Leu	Gly	Glu	Glu	Ser	Tyr	Lys	Asp	Ser	Thr
	210						215				220				
Leu	Ile	Met	Gln	Leu	Leu	Arg	Asp	Asn	Leu	Thr	Leu	Trp	Thr	Ser	Asp
225					230					235					240

Met Gln Glu Gln Met Asp Glu Ala
245

(2) INFORMATION FOR SEQ ID NO: 11:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 659 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

- (B) CLONE: 4A24

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

CGCCGCCACC GCGATGTACG TGATCTACCA CCCTCGTCCG CCGTCGTTCT CCGTCCCGTC	60
AATAAGAATC AGCCGCGTGA ACCTAACAAAC CTCCTCTGAT TCCTCCGTCT CTCATCTCTC	120
TTCCITCTTC AACITCACTC TAATCTCAGA GAATCCAAAC CAACACCTCT CTTTCTCTTA	180
CGATCCTTTC ACCGTCACCG TTAATTCAGC TAAATCCGGT ACGATGCTCG GTAACGGAAC	240
TGTCCTTGCT TTCTTCAGCG ATAACGGTAA CAAAACCTCG TTTCACGGCG TGATCGCTAC	300
GCTACAGCG GCGCGTGAGT TAGATCCGGA TGAAGCTAAG CATCTGAGAT CAGATCTGAC	360
GCGCGCGCGT GTAGGATATG AGATCGAGAT GAGAACTAAA GTGAAGATGA TAATGGGGAA	420
GCTGAAGAGT GAAGGAGTAG AGATCAAAGT GACATGTTGA AGGATTTGAA GGAACATATC	480
CAAAAGGTAA AACTCCAATT GTAGCTACTT CTAAAAAAC TAAGTGTAAG TCTGATCTTA	540
GIGTCAAGTC TGGAAATGGA TTTCTAAAGG AATTTGATAA TTTCACATTG AAATTCTATA	600
TATCTCTCTT TTTCTCTGGA TTTGTGAAAC TTTGGATGAT CAAAGAATTC TTCATTGTC	659

(2) INFORMATION FOR SEQ ID NO: 12:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 174 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

- (B) CLONE: 4A24

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

```

Arg Ile Cys Cys Cys Cys Phe Trp Ser Ile Leu Ile Ile Leu Ile Leu
1           5           10           15

Ala Leu Met Thr Ala Ile Ala Ala Thr Ala Met Tyr Val Ile Tyr His
          20           25           30

Pro Arg Pro Pro Ser Phe Ser Val Pro Ser Ile Arg Ile Ser Arg Val
          35           40           45

Asn Leu Thr Thr Ser Ser Asp Ser Ser Val Ser His Leu Ser Ser Phe
          50           55           60

Phe Asn Phe Thr Leu Ile Ser Glu Asn Pro Asn Gln His Leu Ser Phe
          65           70           75           80

Ser Tyr Asp Pro Phe Thr Val Thr Val Asn Ser Ala Lys Ser Gly Thr
          85           90           95

Met Leu Gly Asn Gly Thr Val Pro Ala Phe Phe Ser Asp Asn Gly Asn
          100          105          110

Lys Thr Ser Phe His Gly Val Ile Ala Thr Ser Thr Ala Ala Arg Glu
          115          120          125

Leu Asp Pro Asp Glu Ala Lys His Leu Arg Ser Asp Leu Thr Arg Ala
          130          135          140

```

Arg Val Gly Tyr Glu Ile Glu Met Arg Thr Lys Val Lys Met Ile Met
 145 150 155 160

Gly Lys Leu Lys Ser Glu Gly Val Glu Ile Lys Val Thr Cys
 165 170

(2) INFORMATION FOR SEQ ID NO: 13:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 584 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

- (B) CLONE: 3B76

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:

CCTCCAATC CAGGCCAGCC AACAAAAGAA CCTACATTTA TTCCAGTGGT TGTGTTCTT	60
TTGGACTCAA GTGGGAAAGA CATTACTCTT TCCTCTGTTT ATTATGATGG TACAGTGCAG	120
ACCATTTCAG GCAGCAGCAC AATACTTCGA GTGACAAGAA ACAAGAAGAG TTTGTGTTTT	180
CTGATATACC AGAAAGACCT GTTCCGTCCC TATTTAGGGG ATTCAGCCCC AGTTCGTGTT	240
GAAACTGATC TCTCTAATGA TGACTTATTC TTCCTCCTAG CACATGATTC AGATGAATTC	300
AATAGGTGGG AGGCCGGTCA AGTTCTGGCA AGAAAGCTGA TGCTGAACIT AGTTTCTGAT	360
TTCCAGCAAA ATAAACCGTT GGCTCTAAAC CAAAATTTG TGCAAGGTCT CGGCAGTGTG	420
CTTTCTGACT CAAGCTTGGG CAAGGAATTT ATAGCCAAAG CAATAACACT ACCTGGGGAG	480
GGAGAGATAA TGGACATGAT GGCCGTGGCG GATCCTGATG CTGTTTATGC TGTAGAAAG	540
TTTGTACGAA AGCAGCTTGC ATCTGAACTT AAGGAGGAGC TTCT	584

(2) INFORMATION FOR SEQ ID NO: 14:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 283 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

- (B) CLONE: 3B76

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:

```

Pro Pro Thr Pro Gly Gln Pro Thr Lys Glu Pro Thr Phe Ile Pro Val
1           5           10           15

Val Val Gly Leu Leu Asp Ser Ser Gly Lys Asp Ile Thr Leu Ser Ser
          20           25           30

Val His Tyr Asp Gly Thr Val Gln Thr Ile Thr Gly Ser Ser Thr Ile
          35           40           45

Leu Arg Val Thr Lys Lys Gln Glu Glu Phe Val Phe Ser Asp Ile Pro
          50           55           60

Glu Arg Pro Val Pro Ser Leu Phe Arg Gly Phe Ser Ala Pro Val Arg
65           70           75           80

Val Glu Thr Asp Leu Ser Asn Asp Asp Leu Phe Phe Leu Leu Ala His
          85           90           95

Asp Ser Asp Glu Phe Asn Arg Trp Glu Ala Gly Gln Val Leu Ala Arg
          100          105          110

Lys Leu Met Leu Asn Leu Val Ser Asp Phe Gln Gln Asn Lys Pro Leu
          115          120          125

Ala Leu Asn Pro Lys Phe Val Gln Gly Leu Gly Ser Val Leu Ser Asp
          130          135          140

```

```

Ser Ser Leu Asp Lys Glu Phe Ile Ala Lys Ala Ile Thr Leu Pro Gly
145                      150                      155                      160

Glu Gly Glu Ile Met Asp Met Met Ala Val Ala Asp Pro Asp Ala Val
                      165                      170                      175

His Ala Val Arg Lys Phe Val Arg Lys Gln Leu Ala Ser Glu Leu Lys
                      180                      185                      190

Glu Glu Leu Lys Ile Val Glu Asn Asn Arg Ser Thr Glu Ala Tyr Val
                      195                      200                      205

Phe Asp His Ser Asn Met Ala Arg Arg Ala Leu Lys Asn Thr Ala Leu
210                      215                      220

Ala Tyr Leu Ala Ser Leu Glu Asp Pro Ala Tyr Met Gly Thr Cys Thr
225                      230                      235                      240

Glu Arg Ile Gln Gly Gly His Gln Phe Asp Arg Pro Ile Cys Cys Phe
                      245                      250                      255

Gly Thr Leu Ser Gln Asn Pro Gly Lys Thr Arg Glu Arg Thr Phe Leu
260                      265                      270

Pro Asp Phe Tyr Glu Gln Val Ala Gly Thr Ile
275                      280

```

(2) INFORMATION FOR SEQ ID NO: 15:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 534 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

(B) CLONE: 4A5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15:

ACCAGGAGGG GAAAAAGTCT TACCCCATGG ACATCCCGGG GATTGAGTGT TACCCGAAAA 60
 GGATGAAGAA TGGTATTCCT CCGTCGTGGA CCCCATGCAC CCATTGGGAA AGCCGTGTGG 120
 CGTTTTCTTT CAGGGATGAT AGAAAAGTGC TCCCTTGGGA TGGAAAGGAG GAGCCTTTAC 180
 TGGTAGTGGC CGATAGGGTG AGGAATGTTG TGGAGGCTGA TGACGGGTAT TATCTCGTGG 240
 TGGCTGAGAA CGGACTTAAG CTAGAGAAAG GATCAGATTT GAAGGCGAGA GAGGTGAAGG 300
 AGAGTTTAGG GATGGTTGTT TTGGTGGTGA GGCCGCCAAG AGAAGATGAT GATGATTGGC 360
 AGACAAGTCA TCAGAACTGG GACTGAATTA ATAGAATCAA TACTCATATG CTGTAAGTGA 420
 TTACGGAGTC ATCATGGTCA TGTAATAATTT TTGGATAAAG GGGTAACTT TTTGTTCTAA 480
 GATACAATCA GAAACAGAGC AATAATTTTC TCTAAAAAAA AAAAAAAAAA AAAA 534

(2) INFORMATION FOR SEQ ID NO: 16:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 119 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

- (B) CLONE: 4A5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 16:

Met Asp Ile Pro Gly Ile Glu Cys Tyr Pro Lys Arg Met Lys Asn Gly
 1 5 10 15
 Ile Pro Pro Ser Trp Thr Pro Cys Thr His Trp Glu Ser Arg Val Ala
 20 25 30

Phe Ser Phe Arg Asp Asp Arg Lys Val Leu Pro Trp Asp Gly Lys Glu
 35 40 45
 Glu Pro Leu Leu Val Val Ala Asp Arg Val Arg Asn Val Val Glu Ala
 50 55 60
 Asp Asp Gly Tyr Tyr Leu Val Val Ala Glu Asn Gly Leu Lys Leu Glu
 65 70 75 80
 Lys Gly Ser Asp Leu Lys Ala Arg Glu Val Lys Glu Ser Leu Gly Met
 85 90 95
 Val Val Leu Val Val Arg Pro Pro Arg Glu Asp Asp Asp Asp Trp Gln
 100 105 110
 Thr Ser His Gln Asn Trp Asp
 115

(2) INFORMATION FOR SEQ ID NO: 17:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vii) IMMEDIATE SOURCE:

- (B) CLONE: primer V6

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 17:

ATGCTTTGCA TAACTTTGAG G

21

(2) INFORMATION FOR SEQ ID NO: 18:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 17 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vii) IMMEDIATE SOURCE:

(B) CLONE: primer T7

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 18:

AATACGACTC ACTATAG

17

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT:

- (A) NAME: NOVARTIS AG
- (B) STREET: Schwarzwaldallee 215
- (C) CITY: Basel
- (E) COUNTRY: Switzerland
- (F) POSTAL CODE (ZIP): 4058
- (G) TELEPHONE: +41 61 324 11 11
- (H) TELEFAX: + 41 61 322 75 32

(ii) TITLE OF INVENTION: Organic Compounds

(iii) NUMBER OF SEQUENCES: 18

(iv) COMPUTER READABLE FORM:

- (A) MEDIUM TYPE: Floppy disk
- (B) COMPUTER: IBM PC compatible
- (C) OPERATING SYSTEM: PC-DOS/MS-DOS
- (D) SOFTWARE: PatentIn Release #1.0, Version #1.25 (EPO)

(2) INFORMATION FOR SEQ ID NO: 1:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 551 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

- (B) CLONE: 3A35

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

ACGTGTCGGT GGAGGCGGGT CGGGTCAGTC GGGTCAGATA CCAAGGTGCC AAGTGAAGG	60
TTGTGGGATG GATCTAACCA ATGCAAAAGG TTATTACTCG AGACACCGAG TTGTGGAGT	120
GCACTCTAAA ACACCTAAAG TCACTGTGGC TGGTATCGAA CAGAGGTTTT GTCAACAGTG	180
CAGCAGGTTT CATCAGCTTC CGGAATTTGA CCTAGAGAAA AGGAGTTGCC GCAGGAGACT	240

CGCTGGTCAT AATGAGCGAC GAAGGAAGCC ACAGCCTGCG TCTCTCTCTG TGTTAGCTTC 300
 TCGTTACGGG AGGATCGCAC CTTCGCTTTA CGAAAATGGT GATGCTGGAA TGAATGGAAG 360
 CTTTCTTGGG AACCAAGAGA TAGGATGGCC AAGTTCAAGA ACATTGGATA CAAGAGTGAT 420
 GAGGCGGCCA GTGTCATCAC CGTCATGGCA GATCAATCCA ATGAATGTAT TTAGTCAAGG 480
 TTCAGTTGGT GGAGGAAGGA CAAGCTTCTC ATCTCCAGAG ATTATGGACA CTAAACTAGA 540
 GAGCTACAAG G 551

(2) INFORMATION FOR SEQ ID NO: 2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 375 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

- (B) CLONE: 3A35

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

Met Glu Met Gly Ser Asn Ser Gly Pro Gly His Gly Pro Gly Gln Ala
 1 5 10 15
 Glu Ser Gly Gly Ser Ser Thr Glu Ser Ser Ser Phe Ser Gly Gly Leu
 20 25 30
 Met Phe Gly Gln Lys Ile Tyr Phe Glu Asp Gly Gly Gly Gly Ser Gly
 35 40 45
 Ser Ser Ser Ser Gly Gly Arg Ser Asn Arg Arg Val Arg Gly Gly Gly
 50 55 60
 Ser Gly Gln Ser Gly Gln Ile Pro Arg Cys Gln Val Glu Gly Cys Gly
 65 70 75 80
 Met Asp Leu Thr Asn Ala Lys Gly Tyr Tyr Ser Arg His Arg Val Cys
 85 90 95
 Gly Val His Ser Lys Thr Pro Lys Val Thr Val Ala Gly Ile Glu Gln

- 3 -

100	105	110
Arg Phe Cys Gln Gln Cys Ser Arg Phe His Gln Leu Pro Glu Phe Asp 115 120 125		
Leu Glu Lys Arg Ser Cys Arg Arg Arg Leu Ala Gly His Asn Glu Arg 130 135 140		
Arg Arg Lys Pro Gln Pro Ala Ser Leu Ser Val Leu Ala Ser Arg Tyr 145 150 155 160		
Gly Arg Ile Ala Pro Ser Leu Tyr Glu Asn Gly Asp Ala Gly Met Asn 165 170 175		
Gly Ser Phe Leu Gly Asn Gln Glu Ile Gly Trp Pro Ser Ser Arg Thr 180 185 190		
Leu Asp Thr Arg Val Met Arg Arg Pro Val Ser Ser Pro Ser Trp Gln 195 200 205		
Ile Asn Pro Met Asn Val Phe Ser Gln Gly Ser Val Gly Gly Gly Arg 210 215 220		
Thr Ser Phe Ser Ser Pro Glu Ile Met Asp Thr Lys Leu Glu Ser Tyr 225 230 235 240		
Lys Gly Ile Gly Asp Ser Asn Cys Ala Leu Ser Leu Leu Ser Asn Pro 245 250 255		
His Gln Pro His Asp Asn Asn Asn Asn Asn Asn Asn Asn Asn Asn 260 265 270		
Asn Asn Asn Thr Trp Arg Ala Ser Ser Gly Phe Gly Pro Met Thr Val 275 280 285		
Thr Met Ala Gln Pro Pro Pro Ala Pro Ser Gln His Gln Tyr Leu Asn 290 295 300		
Pro Pro Trp Val Phe Lys Asp Asn Asp Asn Asp Met Ser Pro Val Leu 305 310 315 320		
Asn Leu Gly Arg Tyr Thr Glu Pro Asp Asn Cys Gln Ile Ser Ser Gly 325 330 335		
Thr Ala Met Gly Glu Phe Glu Leu Ser Asp His His His Gln Ser Arg 340 345 350		
Arg Gln Tyr Met Glu Asp Glu Asn Thr Arg Ala Tyr Asp Ser Ser Ser 355 360 365		
His His Thr Asn Trp Ser Leu 370 375		

(2) INFORMATION FOR SEQ ID NO: 3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 859 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

- (B) CLONE: 3B39

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

TCAACATTGC TTCCTAACCA GAAATCCACC ATCATCTTCC CACGAATACA ACTTAAAGCT	60
TTACCAGAAA ATGGAGGGTC AGAGAACACA ACGCCGGGGT TACTTGAAAG ACAAGGCTAC	120
AGTCTCCAAC CTTGTGAAG AAGAAATGGA GAATGGCATG GATGGAGAAG AGGAGGATGG	180
AGGAGACGAA GACAAAAGGA AGAAGGTGAT GGAAAGAGTT AGAGGTCCTA GCACTGACCG	240
TGTTCCATCG CGACTGTGCC AGGTCGATAG GTGCACTGTT AATTGACTG AGGCCAAGCA	300
GTATTACCGC AGACACAGAG TATGTGAAGT ACATGCAAAG GCATCTGCTG CGACTGTTGC	360
AGGGGTCAGG CAACGCTTTT GTCAACAATG CAGCAGGTTT CATGAGCTAC CAGAGTTTGA	420
TGAAGCTAAA AGAAGCTGCA GGAGGCGCTT AGCTGGACAC AATGAGAGGA GGAGGAAGAT	480
CTCTGGTGAC AGTTTGGAG AAGGGTCAGG CCGGAGAGGG TTTAGCGGTC AACTGATCCA	540
GACTCAAGAA AGAAACAGGG TAGACAGGAA ACTTCCTATG ACCAACTCAT CATTTAAGGG	600
ACCACAGATC AGATAAACC TCCCGCTCTC TCTCTCTGT CATCTACATA TGCTCTATCT	660
ACACTCTTAT TAGACAAATA ATGGCATCTA ACAATGTCAA GAAAAGTTGG TCATGGTATT	720
AAATCCTAGA GGGAAATATA AGTATAAACC TTTAGTCCCC TTTATGCTGT CCTGTAATGA	780
ATATCTATCC GGAAATGTAT TCGCATAGTC TTGCGTCTAA TAATGTTTAT TAAAAA	840
AAAAAAAAA AAAAAAAAAA	859

(2) INFORMATION FOR SEQ ID NO: 4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 181 amino acids

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:
 (A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:
 (B) CLONE: 3B39

[illegible]

(2) INFORMATION FOR SEQ ID NO: 5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 479 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

- (B) CLONE: 4B19

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

AGAAGCAGAA AGGTAAAGCT ACAAGTAGTA GTGGAGTTTG TCAGGTCGAG AGTTGTACCG	60
CGGATATGAG CAAAGCCAAA CAGTACCACA AACGACACAA AGTCTGCCAG TTTCATGCCA	120
AAGCTCCTCA TGTTCCGATC TCTGGTCTTC ACCAACGTTT CTGCCAACAA TGCAGCAGGT	180
TTACGCGCT CAGTGAGTTT GATGAAGCCA AGCGGAGTTG CAGGAGACGC TTAGCTGGAC	240
ACAACGAGAG AAGGCGGAAA AGCACAACCTG ACTAAAGACG GTGAAACGTG TGAGATCCCG	300
GTTTGAAGGT TAATGAAACA GGCTTTGCTT ACTCTCTTCT GTCAGTCTCT TTTAGCTCCT	360
TGTAATCCTC TGTGTCTCTG TCTGTTTCTC CATATTACCT GTAATCAAAG CTATCTGCTA	420
AACCTACGAC ATGGTTAAAT AAATGCATTG AGACTTAAAA AAAAAAAAAA AAAAAAAAAA	479

(2) INFORMATION FOR SEQ ID NO: 6:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 131 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

(B) CLONE: 4B19

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

Met	Ser	Met	Arg	Arg	Ser	Lys	Ala	Glu	Gly	Lys	Arg	Ser	Leu	Arg	Glu	1	5	10	15
Leu	Ser	Glu	Glu	Glu	Glu	Glu	Glu	Glu	Thr	Glu	Asp	Glu	Asp	Thr		20	25	30	
Phe	Glu	Glu	Glu	Glu	Ala	Leu	Glu	Lys	Lys	Gln	Lys	Gly	Lys	Ala	Thr	35	40	45	
Ser	Ser	Ser	Gly	Val	Cys	Gln	Val	Glu	Ser	Cys	Thr	Ala	Asp	Met	Ser	50	55	60	
Lys	Ala	Lys	Gln	Tyr	His	Lys	Arg	His	Lys	Val	Cys	Gln	Phe	His	Ala	65	70	75	80
Lys	Ala	Pro	His	Val	Arg	Ile	Ser	Gly	Leu	His	Gln	Arg	Phe	Cys	Gln	85	90	95	
Gln	Cys	Ser	Arg	Phe	His	Ala	Leu	Ser	Glu	Phe	Asp	Glu	Ala	Lys	Arg	100	105	110	
Ser	Cys	Arg	Arg	Arg	Leu	Ala	Gly	His	Asn	Glu	Arg	Arg	Arg	Lys	Ser	115	120	125	
Thr	Thr	Asp														130			

(2) INFORMATION FOR SEQ ID NO: 7:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2682 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

(B) CLONE: 3A52

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

GCCATTCAAG GAGACACTAA TGGTGCTCTT ACTTTGAATC TTAATGGTGA AAGTGATGGC	60
CTTTTTTCCTG CCAAGAAGAC CAAATCCGGA GCCGTTTGTC AGGTCGAAAA CTGTGAAGCT	120
GATCTTAGTA AAGTTAAGGA TTATCATAGA CGCCATAAGG TCTGTGAGAT GCATTCCAAG	180
GCTACTAGTG CCACTGTGGG AGGTATCTTG CAGCGCTTTT GTCAGCAATG TAGTAGGTTC	240
CATCTTCTGC CAGGTTTCGA TGACGGAAAG AGAAGTTGTC GTAGACGTTT GGCTGGCCAT	300
AATAAACGTC CGAGGAAAC AAATCCCGAA CCTGGCGCTA ACGGGAATCC TAGTGATGAT	360
CACTCAAGCA ACTATCTCTT GATTACTCTC TTGAAGATAC TCTCCAATAT GCATAACCAT	420
ACCGGTGATC AAGATTTGAT GTCTCATCTT CTGAAGAGCC TCGTAAGCCA TGCTGGCGAA	480
CAGTTAGGGA AAAACTTAGT TGAACCTCTT CTACAAGGAG AGATCTCAAG GTTCCTTAAA	540
ATATTGGAAA ACTCGGCTTT GCTTGGGATT GAGCAAGCTC CTCAAGAGGA GTTAAAGCAA	600
TTTTCGGCTC GGCAAGATGG GACAGCTACC GAGAACAGAT CAGAAAAACA AGTCAAAATG	660
AATGATTTTG ATTTGAATGA TATCTATATA GACTCAGATG ACACAGACGT CGAAAGATCT	720
CCTCCTCCAA CGAATCCAGC GACCAGTTCT CTTGATTATC CTTTATGGAT ACATCAGTCT	780
AGTCCGCCTC AGACAAGTAG GAATTCAGAT TCAGCATCTG ACCAGTCACC CTCAAGTTCT	840
AGTGAAGATG CTCAGATGGG CACAGGCCGG ATTGTGTTCA AACTATTTGG GAAAGAGCCA	900
AATGAATTTT CTATTGTCTT ACGAGGACAG ATTCTTGAAT GGTATTCGCA TAGTCCAAT	960
GACATGGAGA GCTACATAAG ACCTGGCTGT ATCGTATTGA CCATCTATCT TCGTCAAGCT	1020
GAAACTGCTT GGAAGAAGT TTCAGACGAT CTGGGTTTTA GCTTAGGGAA GCTTCTAGAT	1080
CTCTCCGATG ATCCCTTGTG GACAACTGGA TGGATTTATG TAGGGTGCAG AACCAACTTG	1140
CATTGTATTA TAACGGTCAG GTGTGCGTTG ACACTTCATT GTCTCTAAAA AGTCGTGATT	1200
ATAGTCACAT CATTAGCGTT AAACCGCTTG CTATAGCTGC AACGGAGAAG GCTCAATTTA	1260
CAGTTAAAGG CATGAATCTC CGTCGGCGTG GCACAAGGTT ACTTGTGTTT GTTGAAGGAA	1320
AATACTTGAT TCAGGAAACA ACACACGATT CGACGACCAG GGAGGATGAC GATTTCAAGG	1380
ACAACAGTGA GATTGTGAG TGTGTAAACT TCTCTTGTGA TATGCCTATA TTGAGTGGTC	1440
GAGGATTCAT GGAGATTGAA GACCAAGGAC TCAGTAGCAG CTTCTTCCCT TTCTTAGTGG	1500
TTGAAGATGA CGATGTTTGT TCTGAAATCC GTATACTTGA AACCACATTA GAGTTCAGT	1560
GAACTGATTC TGCTAAGCAA GCTATGGATT TCATACATGA AATCGGTTGG CTTCTTCACA	1620

GAAGTAAACT TGGGGAATCA GACCCAAATC CAGGCGTTTT CCCATTAATA CGCTTCCAGT	1680
GGCTAATCGA GTTCTCAATG GATCGAGAGT GGTGCGCTGT GATCAGAAAG CTATTAAACA	1740
TGTTCTTTGA TGGAGCTGTT GGTGAATTTT CTTCTCCTC TAATGCCACA CTGTCAGAAC	1800
TGTGCCTTCT TCACAGAGCC GTGAGGAAAA ACTCTAAGCC TATGGTTGAA ATGCTCTTGA	1860
GATATATTCC CAAGCAACAG AGAAACAGCT TGTTTAGACC CGATGCTGCT GGTCCAGCCG	1920
GCTTAACACC TCTTCATATT GCAGCTGGTA AAGACGGTTC AGAAGATGTG TTGGATGCCG	1980
TAACAGAAGA TCCTGCAATG GTGGGGATTG AAGCGTGGAA GACATGTCGA GACAGCACAG	2040
GCTTCACACC AGAAGACTAC GCACGCTTAC GCGGTCACCT CTCATACATC CACTTGATTG	2100
AACGCAAGAT CAATAAAAAG TCAACAACTG AAGATCATGT TGTGGTCAAC ATCCCAGTTT	2160
CTTTCTCAGA CAGAGAGCAG AAAGAACCAA AATCAGGTCC GATGGCTTCA GCCTTGGAGA	2220
TCACACAGAT TCCATGCAAG CTCTGTGACC ATAACTGGT GTATGGGACA ACACGCAGGT	2280
CTGTAGCGTA CAGACCAGCT ATGTTGTCAA TGGTGGCGAT TGCTGCGGTT TGGCTCTGTG	2340
TGGCACTTCT GTTTAAGAGT TGCCCGGAAG TGCTCTATGT GTTTCAACCG TTCAGGTGGG	2400
AGTTATTTGA CTATGGAACA AGCTGAGTGT AAGTCTACTT TGAAAGATCT TCTAAGATAT	2460
ATATATGAAT GTTACTTATA TAAAACCATA GAGGTGTGAT TTCTATATGT AACTATATGA	2520
GTATAAGATA TAGAGACATG TTGGAGAAGA AGATTGTTGT TATTATTTGT GTTGTGTGTG	2580
TTGTGTAAAA GCCTCTCCTA TCTCTCTCGA ACCTAAGGAT TCTCTCTCTG ATTAGTATAT	2640
TTTTTGTGTG ACAAAAAAAAAA AAAAAAAAAA AAAAAAAAAA AA	2682

(2) INFORMATION FOR SEQ ID NO: 8:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 848 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (iii) HYPOTHETICAL: NO
- (iii) ANTI-SENSE: NO
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: *Arabidopsis thaliana*
- (vii) IMMEDIATE SOURCE:

(B) CLONE: 3A52

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

Met	Glu	Ala	Arg	Ile	Asp	Glu	Gly	Gly	Glu	Ala	Gln	Gln	Phe	Tyr	Gly	1	5	10	15
Ser	Val	Gly	Asn	Ser	Ser	Asn	Ser	Ser	Ser	Ser	Cys	Ser	Asp	Glu	Gly	20	25	30	
Asn	Asp	Lys	Lys	Arg	Arg	Ala	Val	Ala	Ile	Gln	Gly	Asp	Thr	Asn	Gly	35	40	45	
Ala	Leu	Thr	Leu	Asn	Leu	Asn	Gly	Glu	Ser	Asp	Gly	Leu	Phe	Pro	Ala	50	55	60	
Lys	Lys	Thr	Lys	Ser	Gly	Ala	Val	Cys	Gln	Val	Glu	Asn	Cys	Glu	Ala	65	70	75	80
Asp	Leu	Ser	Lys	Val	Lys	Asp	Tyr	His	Arg	Arg	His	Lys	Val	Cys	Glu	85	90	95	
Met	His	Ser	Lys	Ala	Thr	Ser	Ala	Thr	Val	Gly	Gly	Ile	Leu	Gln	Arg	100	105	110	
Phe	Cys	Gln	Gln	Cys	Ser	Arg	Phe	His	Leu	Leu	Pro	Gly	Phe	Asp	Asp	115	120	125	
Gly	Lys	Arg	Ser	Cys	Arg	Arg	Arg	Leu	Ala	Gly	His	Asn	Lys	Arg	Pro	130	135	140	
Arg	Lys	Thr	Asn	Pro	Glu	Pro	Gly	Ala	Asn	Gly	Asn	Pro	Ser	Asp	Asp	145	150	155	160
His	Ser	Ser	Asn	Tyr	Leu	Leu	Ile	Thr	Leu	Leu	Lys	Ile	Leu	Ser	Asn	165	170	175	
Met	His	Asn	His	Thr	Gly	Asp	Gln	Asp	Leu	Met	Ser	His	Leu	Leu	Lys	180	185	190	
Ser	Leu	Val	Ser	His	Ala	Gly	Glu	Gln	Leu	Gly	Lys	Asn	Leu	Val	Glu	195	200	205	
Leu	Leu	Leu	Gln	Gly	Arg	Arg	Ser	Gln	Gly	Ser	Leu	Asn	Ile	Gly	Asn	210	215	220	
Ser	Ala	Leu	Leu	Gly	Ile	Glu	Gln	Ala	Pro	Gln	Glu	Glu	Leu	Lys	Gln	225	230	235	240
Phe	Ser	Ala	Arg	Gln	Asp	Gly	Thr	Ala	Thr	Glu	Asn	Arg	Ser	Glu	Lys	245	250	255	
Gln	Val	Lys	Met	Asn	Asp	Phe	Asp	Leu	Asn	Asp	Ile	Tyr	Ile	Asp	Ser	260	265	270	

Asp Asp Thr Asp Val Glu Arg Ser Pro Pro Pro Thr Asn Pro Ala Thr
 275 280 285
 Ser Ser Leu Asp Tyr Pro Ser Trp Ile His Gln Ser Ser Pro Pro Gln
 290 295 300
 Thr Ser Arg Asn Ser Asp Ser Ala Ser Asp Gln Ser Pro Ser Ser Ser
 305 310 315 320
 Ser Glu Asp Ala Gln Met Arg Thr Gly Arg Ile Val Phe Lys Leu Phe
 325 330 335
 Gly Lys Glu Pro Asn Glu Phe Pro Ile Val Leu Arg Gly Gln Ile Leu
 340 345 350
 Asp Trp Leu Ser His Ser Pro Thr Asp Met Glu Ser Tyr Ile Arg Pro
 355 360 365
 Gly Cys Ile Val Leu Thr Ile Tyr Leu Arg Gln Ala Glu Thr Ala Trp
 370 375 380
 Glu Glu Leu Ser Asp Asp Leu Gly Phe Ser Leu Gly Lys Leu Leu Asp
 385 390 395 400
 Leu Ser Asp Asp Pro Leu Trp Thr Thr Gly Trp Ile Tyr Val Arg Val
 405 410 415
 Gln Asn Gln Leu Ala Phe Val Tyr Asn Gly Gln Val Val Val Asp Thr
 420 425 430
 Ser Leu Ser Leu Lys Ser Arg Asp Tyr Ser His Ile Ile Ser Val Lys
 435 440 445
 Pro Leu Ala Ile Ala Ala Thr Glu Lys Ala Gln Phe Thr Val Lys Gly
 450 455 460
 Met Asn Leu Arg Arg Arg Gly Thr Arg Leu Leu Cys Ser Val Glu Gly
 465 470 475 480
 Lys Tyr Leu Ile Gln Glu Thr Thr His Asp Ser Thr Thr Arg Glu Asp
 485 490 495
 Asp Asp Phe Lys Asp Asn Ser Glu Ile Val Glu Cys Val Asn Phe Ser
 500 505 510
 Cys Asp Met Pro Ile Leu Ser Gly Arg Gly Phe Met Glu Ile Glu Asp
 515 520 525
 Gln Gly Leu Ser Ser Ser Phe Phe Pro Phe Leu Val Val Glu Asp Asp
 530 535 540
 Asp Val Cys Ser Glu Ile Arg Ile Leu Glu Thr Thr Leu Glu Phe Thr
 545 550 555 560

Gly Thr Asp Ser Ala Lys Gln Ala Met Asp Phe Ile His Glu Ile Gly
 565 570 575
 Trp Leu Leu His Arg Ser Lys Leu Gly Glu Ser Asp Pro Asn Pro Gly
 580 585 590
 Val Phe Pro Leu Ile Arg Phe Gln Trp Leu Ile Glu Phe Ser Met Asp
 595 600 605
 Arg Glu Trp Cys Ala Val Ile Arg Lys Leu Leu Asn Met Phe Phe Asp
 610 615 620
 Gly Ala Val Gly Glu Phe Ser Ser Ser Ser Asn Ala Thr Leu Ser Glu
 625 630 635 640
 Leu Cys Leu Leu His Arg Ala Val Arg Lys Asn Ser Lys Pro Met Val
 645 650 655
 Glu Met Leu Leu Arg Tyr Ile Pro Lys Gln Gln Arg Asn Ser Leu Phe
 660 665 670
 Arg Pro Asp Ala Ala Gly Pro Ala Gly Leu Thr Pro Leu His Ile Ala
 675 680 685
 Ala Gly Lys Asp Gly Ser Glu Asp Val Leu Asp Ala Leu Thr Glu Asp
 690 695 700
 Pro Ala Met Val Gly Ile Glu Ala Trp Lys Thr Cys Arg Asp Ser Thr
 705 710 715 720
 Gly Phe Thr Pro Glu Asp Tyr Ala Arg Leu Arg Gly His Phe Ser Tyr
 725 730 735
 Ile His Leu Ile Gln Arg Lys Ile Asn Lys Lys Ser Thr Thr Glu Asp
 740 745 750
 His Val Val Val Asn Ile Pro Val Ser Phe Ser Asp Arg Glu Gln Lys
 755 760 765
 Glu Pro Lys Ser Gly Pro Met Ala Ser Ala Leu Glu Ile Thr Gln Ile
 770 775 780
 Pro Cys Lys Leu Cys Asp His Lys Leu Val Tyr Gly Thr Thr Arg Arg
 785 790 795 800
 Ser Val Ala Tyr Arg Pro Ala Met Leu Ser Met Val Ala Ile Ala Ala
 805 810 815
 Val Cys Val Cys Val Ala Leu Leu Phe Lys Ser Cys Pro Glu Val Leu
 820 825 830
 Tyr Val Phe Gln Pro Phe Arg Trp Glu Leu Leu Asp Tyr Gly Thr Ser
 835 840 845

(2) INFORMATION FOR SEQ ID NO: 9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 576 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

(B) CLONE: 4B11

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

CAGCGGAAGA GCTCACCGTT GAAGAGAGGA ATCTCCTCTC TGTGCTTAC AAAAACGTGA	60
TCGGATCTCT ACCGCGCCGCC TGGAGGATCG TGTCTTCGAT TGAGCAGAAG GAAGAGAGTA	120
GGAAGAACGA CGAGCACGTG TCGCTTGTC AAGGATTACAG ATCTAAAGTT GAGTCTGAGC	180
TTTCTTCGTG TTGCTCTGGA ATCCTTAAGC TCCTTGACTC GCATCTGATC CCATCTGCTG	240
GAGCGAGTGA GTCTAAGGTC TTTTACTTGA AGATGAAAGG TGATTATCAT CGGTACATGG	300
CTGAGTTTAA GTCTGGTGAT GAGAGGAAAA CTGCTGCTGA AGATACCATG CTCGCTTACA	360
AAGCAGCTCA GGATATCGCA GCTGCGGATA TGGCACCTAC TCATCCGATA AGGCTTGGTC	420
TGGCCCTGAA TTTCTCAGTG TTCTACTATG AGATTCTCAA TTCTTCAGAC AAAGCTTGTA	480
ACATGGCCAA ACAGGCTTTT GAGGAAGCCA TAGCTGAGCT TGACACTCTG GGAGAAGAAT	540
CCTACAAAGA CAGCACTCTC ATAATGCAGT TGCTGA	576

(2) INFORMATION FOR SEQ ID NO: 10:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 248 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

- 14 -

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

(B) CLONE: 4B11

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

Met Ala Ala Thr Leu Gly Arg Asp Gln Tyr Val Tyr Met Ala Lys Leu
1 5 10 15

Ala Glu Gln Ala Glu Arg Tyr Glu Glu Met Val Gln Phe Met Glu Gln
20 25 30

Leu Val Thr Gly Ala Thr Pro Ala Glu Glu Leu Thr Val Glu Glu Arg
35 40 45

Asn Leu Leu Ser Val Ala Tyr Lys Asn Val Ile Gly Ser Leu Arg Ala
50 55 60

Ala Trp Arg Ile Val Ser Ser Ile Glu Gln Lys Glu Glu Ser Arg Lys
65 70 75 80

Asn Asp Glu His Val Ser Leu Val Lys Asp Tyr Arg Ser Lys Val Glu
85 90 95

Ser Glu Leu Ser Ser Val Cys Ser Gly Ile Leu Lys Leu Leu Asp Ser
100 105 110

His Leu Ile Pro Ser Ala Gly Ala Ser Glu Ser Lys Val Phe Tyr Leu
115 120 125

Lys Met Lys Gly Asp Tyr His Arg Tyr Met Ala Glu Phe Lys Ser Gly
130 135 140

Asp Glu Arg Lys Thr Ala Ala Glu Asp Thr Met Leu Ala Tyr Lys Ala
145 150 155 160

Ala Gln Asp Ile Ala Ala Ala Asp Met Ala Pro Thr His Pro Ile Arg
165 170 175

Leu Gly Leu Ala Leu Asn Phe Ser Val Phe Tyr Tyr Glu Ile Leu Asn
180 185 190

Ser Ser Asp Lys Ala Cys Asn Met Ala Lys Gln Ala Phe Glu Glu Ala
195 200 205

Ile Ala Glu Leu Asp Thr Leu Gly Glu Glu Ser Tyr Lys Asp Ser Thr
210 215 220

Leu Ile Met Gln Leu Leu Arg Asp Asn Leu Thr Leu Trp Thr Ser Asp
225 230 235 240

Met Gln Glu Gln Met Asp Glu Ala
245

(2) INFORMATION FOR SEQ ID NO: 11:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 659 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

- (B) CLONE: 4A24

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

CGCCGCCACC GCGATGTACG TGATCTACCA CCCTCGTCCG CCGTCGTTCT CCGTCCCGTC	60
AATAAGAATC AGCCGCGTGA ACCTAACAAC CTCCTCTGAT TCCTCCGTCT CTCATCTCTC	120
TTCTTCTTTC AACTTCACTC TAATCTCAGA GAATCCAAAC CAACACCTCT CTTTCTCTTA	180
CGATCCTTTC ACCGTCACCG TTAATTCAGC TAAATCCGGT ACGATGCTCG GTAACGGAAC	240
TGTTCTTGCT TTCTTCAGCG ATAACGGTAA CAAAACTTCG TTTCACGGCG TGATCGCTAC	300
GTCTACAGCG GCGCGTGAGT TAGATCCGGA TGAAGCTAAG CATCTGAGAT CAGATCTGAC	360
GCGCGCGCGT GTAGGATATG AGATCGAGAT GAGAACTAAA GTGAAGATGA TAATGGGGAA	420
GCTGAAGAGT GAAGGAGTAG AGATCAAAGT GACATGTTGA AGGATTTGAA GGAACCTATAC	480
CAAAAGGTAA AACTCCAATT GTAGCTACTT CTAAAAAAC TAAGTGTAAG TCTGATCTTA	540
GTGTCAAGTC TGGAAATGGA TTTCTAAAGG AATTGATAA TTTCACATTG AAATCTCTATA	600
TATCTCTCTT TTCTCTGGA TTTGTGAAAC TTTGGATGAT CAAAGAATTC TTCATTGTC	659

(2) INFORMATION FOR SEQ ID NO: 12:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 174 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single

- 16 -

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE: /

(B) CLONE: 4A24

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

Arg	Ile	Cys	Cys	Cys	Cys	Phe	Trp	Ser	Ile	Leu	Ile	Ile	Leu	Ile	Leu	1	5	10	15
Ala	Leu	Met	Thr	Ala	Ile	Ala	Ala	Thr	Ala	Met	Tyr	Val	Ile	Tyr	His	20	25	30	
Pro	Arg	Pro	Pro	Ser	Phe	Ser	Val	Pro	Ser	Ile	Arg	Ile	Ser	Arg	Val	35	40	45	
Asn	Leu	Thr	Thr	Ser	Ser	Asp	Ser	Ser	Val	Ser	His	Leu	Ser	Ser	Phe	50	55	60	
Phe	Asn	Phe	Thr	Leu	Ile	Ser	Glu	Asn	Pro	Asn	Gln	His	Leu	Ser	Phe	65	70	75	80
Ser	Tyr	Asp	Pro	Phe	Thr	Val	Thr	Val	Asn	Ser	Ala	Lys	Ser	Gly	Thr	85	90	95	
Met	Leu	Gly	Asn	Gly	Thr	Val	Pro	Ala	Phe	Phe	Ser	Asp	Asn	Gly	Asn	100	105	110	
Lys	Thr	Ser	Phe	His	Gly	Val	Ile	Ala	Thr	Ser	Thr	Ala	Ala	Arg	Glu	115	120	125	
Leu	Asp	Pro	Asp	Glu	Ala	Lys	His	Leu	Arg	Ser	Asp	Leu	Thr	Arg	Ala	130	135	140	
Arg	Val	Gly	Tyr	Glu	Ile	Glu	Met	Arg	Thr	Lys	Val	Lys	Met	Ile	Met	145	150	155	160
Gly	Lys	Leu	Lys	Ser	Glu	Gly	Val	Glu	Ile	Lys	Val	Thr	Cys			165	170		

(2) INFORMATION FOR SEQ ID NO: 13:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 584 base pairs

(B) TYPE: nucleic acid

- 17 -

- (C) STRANDEDNESS: double
(D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: cDNA to mRNA
(iii) HYPOTHETICAL: NO
(iii) ANTI-SENSE: NO
(vi) ORIGINAL SOURCE:
(A) ORGANISM: *Arabidopsis thaliana*
(vii) IMMEDIATE SOURCE:
(B) CLONE: 3B76

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:

CCTCCAAC	TC	CAGGCCAG	CC	AACAAAAG	AA	CCTACATT	TA	TTCCAGTG	GT	TGTGGTCT	TT	60
TTGGACTC	AA	GTGGGAA	AGA	CATTACTC	TT	TCTCTGTT	C	ATTATGAT	GG	TACAGTGC	AG	120
ACCATTTT	CAG	GCAGCAG	CAC	AATACTTG	GA	GTGACAAG	AA	ACAAGAAG	AG	TTTGTGTT	TTT	180
CTGATATA	ACC	AGAAAGAC	CT	GTTCCGTC	CC	TATTTAGG	GG	ATTTCAGC	CC	AGTTCGTG	TT	240
GAAACTGA	TC	TCTCTAAT	G	TGACTTAT	TC	TTCCTCCT	AG	CACATGAT	TC	AGATGAAT	TC	300
AATAGGTG	GG	AGGCCGGT	CA	AGTTCTGG	CA	AGAAAGCT	GA	TGCTGAACT	T	AGTTTCTG	AT	360
TTCCAGCA	AAA	ATAAACCG	TT	GGCTCTAA	AC	CCAAAATT	TG	TGCAAGGT	CT	CGGCAGTG	TG	420
CTTCTGAC	T	CAAGCTTG	GA	CAAGGAAT	TTT	ATAGCCAA	AG	CAATAACA	CT	ACCTGGGG	GAG	480
GGAGAGAT	AA	TGGACATG	AT	GGCCGTGG	CG	GATCCTGA	TG	CTGTTCAT	GC	TGTTAGAA	AG	540
TTTGTACG	AA	AGCAGCTT	GC	ATCTGAAC	TT	AAGGAGGAG	C	TTCT				584

(2) INFORMATION FOR SEQ ID NO: 14:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 283 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear
(ii) MOLECULE TYPE: protein
(iii) HYPOTHETICAL: NO
(iii) ANTI-SENSE: NO
(vi) ORIGINAL SOURCE:
(A) ORGANISM: *Arabidopsis thaliana*

- 18 -

(vii) IMMEDIATE SOURCE:

(B) CLONE: 3B76

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:

Pro	Pro	Thr	Pro	Gly	Gln	Pro	Thr	Lys	Glu	Pro	Thr	Phe	Ile	Pro	Val	1	5	10	15
Val	Val	Gly	Leu	Leu	Asp	Ser	Ser	Gly	Lys	Asp	Ile	Thr	Leu	Ser	Ser	20	25	30	
Val	His	Tyr	Asp	Gly	Thr	Val	Gln	Thr	Ile	Thr	Gly	Ser	Ser	Thr	Ile	35	40	45	
Leu	Arg	Val	Thr	Lys	Lys	Gln	Glu	Glu	Phe	Val	Phe	Ser	Asp	Ile	Pro	50	55	60	
Glu	Arg	Pro	Val	Pro	Ser	Leu	Phe	Arg	Gly	Phe	Ser	Ala	Pro	Val	Arg	65	70	75	80
Val	Glu	Thr	Asp	Leu	Ser	Asn	Asp	Asp	Leu	Phe	Phe	Leu	Leu	Ala	His	85	90	95	
Asp	Ser	Asp	Glu	Phe	Asn	Arg	Trp	Glu	Ala	Gly	Gln	Val	Leu	Ala	Arg	100	105	110	
Lys	Leu	Met	Leu	Asn	Leu	Val	Ser	Asp	Phe	Gln	Gln	Asn	Lys	Pro	Leu	115	120	125	
Ala	Leu	Asn	Pro	Lys	Phe	Val	Gln	Gly	Leu	Gly	Ser	Val	Leu	Ser	Asp	130	135	140	
Ser	Ser	Leu	Asp	Lys	Glu	Phe	Ile	Ala	Lys	Ala	Ile	Thr	Leu	Pro	Gly	145	150	155	160
Glu	Gly	Glu	Ile	Met	Asp	Met	Met	Ala	Val	Ala	Asp	Pro	Asp	Ala	Val	165	170	175	
His	Ala	Val	Arg	Lys	Phe	Val	Arg	Lys	Gln	Leu	Ala	Ser	Glu	Leu	Lys	180	185	190	
Glu	Glu	Leu	Lys	Ile	Val	Glu	Asn	Asn	Arg	Ser	Thr	Glu	Ala	Tyr	Val	195	200	205	
Phe	Asp	His	Ser	Asn	Met	Ala	Arg	Arg	Ala	Leu	Lys	Asn	Thr	Ala	Leu	210	215	220	
Ala	Tyr	Leu	Ala	Ser	Leu	Glu	Asp	Pro	Ala	Tyr	Met	Gly	Thr	Cys	Thr	225	230	235	240
Glu	Arg	Ile	Gln	Gly	Gly	His	Gln	Phe	Asp	Arg	Pro	Ile	Cys	Cys	Phe	245	250	255	
Gly	Thr	Leu	Ser	Gln	Asn	Pro	Gly	Lys	Thr	Arg	Glu	Arg	Thr	Phe	Leu				

260

265

270

Pro Asp Phe Tyr Glu Gln Val Ala Gly Thr Ile
 275 280

(2) INFORMATION FOR SEQ ID NO: 15:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 534 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

- (B) CLONE: 4A5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15:

ACCAGGAGGG GAAAAAGTCT TACCCCATGG ACATCCCGGG GATTGAGTGT TACCCGAAAA	60
GGATGAAGAA TGGTATTCCT CCGTCGTGGA CCCCATGCAC CCATTGGGAA AGCCGTGTGG	120
CGTTTCTTT CAGGGATGAT AGAAAAGTGC TCCCTTGGGA TGGAAAGGAG GAGCCTTTAC	180
TGGTAGTGGC CGATAGGGTG AGGAATGTTG TGGAGGCTGA TGACGGGTAT TATCTCGTGG	240
TGGCTGAGAA CGGACTTAAG CTAGAGAAAG GATCAGATTT GAAGGCGAGA GAGGTGAAGG	300
AGAGTTTAGG GATGGTTGTT TTGGTGGTGA GGCCGCCAAG AGAAGATGAT GATGATGGC	360
AGACAAGTCA TCAGAACTGG GACTGAATTA ATAGAATCAA TACTCATATG CTGTAACGA	420
TTACGGAGTC ATCATGGTCA TGTAAATTT TTGGATAAAG GTGGTAACTT TTTGTCTTAA	480
GATACAATCA GAAACAGAGC AATATTTTTC TCTAAAAAAA AAAAAAAAAA AAAA	534

(2) INFORMATION FOR SEQ ID NO: 16:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 119 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(A) ORGANISM: *Arabidopsis thaliana*

(vii) IMMEDIATE SOURCE:

(B) CLONE: 4A5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 16:

Met Asp Ile Pro Gly Ile Glu Cys Tyr Pro Lys Arg Met Lys Asn Gly
1 5 10 15

Ile Pro Pro Ser Trp Thr Pro Cys Thr His Trp Glu Ser Arg Val Ala
20 25 30

Phe Ser Phe Arg Asp Asp Arg Lys Val Leu Pro Trp Asp Gly Lys Glu
35 40 45

Glu Pro Leu Leu Val Val Ala Asp Arg Val Arg Asn Val Val Glu Ala
50 55 60

Asp Asp Gly Tyr Tyr Leu Val Val Ala Glu Asn Gly Leu Lys Leu Glu
65 70 75 80

Lys Gly Ser Asp Leu Lys Ala Arg Glu Val Lys Glu Ser Leu Gly Met
85 90 95

Val Val Leu Val Val Arg Pro Pro Arg Glu Asp Asp Asp Asp Trp Gln
100 105 110

Thr Ser His Gln Asn Trp Asp
115

(2) INFORMATION FOR SEQ ID NO: 17:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 21 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vii) IMMEDIATE SOURCE:

(B) CLONE: primer V6

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 17:

ATGCITTGCA TAACITTTGAG G

21

(2) INFORMATION FOR SEQ ID NO: 18:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 17 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iii) ANTI-SENSE: NO

(vii) IMMEDIATE SOURCE:

(B) CLONE: primer T7

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 18:

AATACGACTC ACTATAG

17